

Clamshell - Tray Labelling System (Model CLM)

The CLM label applying system was developed to satisfy a variety of applications for top, bottom, and wrap-around automatic labelling of clamshells and trays, up to two top and one bottom label.

This system incorporates a robust zero maintenance AC motor or high speed Servo for WrapAround and 3 PanelWrap applications. The system can be equipped with a date/lot coder for bottom or top (secondary) printing.

- Versatile to cover a wide variety of label applications
- Top, bottom, tamper seal label application
- Zero Maintenance AC motor
- Label applicator with 150mm label web capacity
- Hand Crank for Height and Lateral Adjustments

Options Available

- Clear label tracer upgrade
- Power unwinds and rewinds for large rolls
- Collapsible waste rewind for easy removal
- 200mm roller set upgrade for wide webs
- Web break/Low Web detector
- Date/lot coder, or printers available

Speed: Variable, 7m/min to 30m/min, upgradeable

Products Per Minute: 1-100

Indexing Accuracy: +/- 2mm at 30m/min typical


Label Roll Diameter: 250mm maximum OD with 76mm Core

Web Width: 19mm to 150mm

Label Length: 5mm to 300+mm

Line Voltage: 120VAC, 15A, 1PH, 60Hz

Electrical Protection Rating: NEMA 12 (IP 55)¹






Allow us to learn more about your specific labelling needs by calling 1-888-250-1524 or send an e-mail inquiry to sales@labelling.com.





1435 Bonhill Rd Units 31-32 • Mississauga, ON L5T 1V2 • CANADA

Tel: (905)564-2794 • Fax: (905)564-2793 • sales@labelling.com

www.labelling.com




PRODUCT FLOW



Label applicator may not appera exactly as
due to design upgrades or options chosen
at time of purchase.

1) Electrical enclosure rating of printer is determined
by manufacturer and model chosen.

DRAWING TITLE: CLM GA - CLAM SHELL TOP & BOTTOM LABELLER w/CODER									
DWN	EJB	11DE06	Std. Tolerances	Mat'l:	TIME	Est.	Act.	FINISH:	
TCO			0 +/- 0.5mm	Slk. Size:	1st Op.			HEAT TR:	
CKD			0.0 +/- 0.1mm	No. Req'd: 1	2nd Op.			Drawing No.	
APPD			0.00 +/- 0.02mm		3rd Op.			No. 1 of 1	
	INITIAL	DATE	0.000 +/- 0.005mm		4th Op.				
					5th Op.				
CURRENT	DATE		Angular +/- 0.5deg.	Job: UP1	TOTAL				CLM01001



DRAWING TITLE: CLM - Wrap Around Labeller									
DWN	EJB	22MY07	Std. Tolerances	(unless otherwise stated)	Mat'l:				
TCD			0	+/- 0.5mm	Slk. Size:				
CKD			0.0	+/- 0.1mm	No. Req'd:	1	Tol. Pos:	1	
APPD			0.00	+/- 0.02mm					
	INITIAL	DATE	0.000	+/- 0.005mm					
	CURRENT DATE		Angular +/-	- 0.5deg.	Job:	CLM			
							TIME ea.	Operation	Est. Act.
							1st Op.		
							2nd Op.		
							3rd Op.		
							4th Op.		
							5th Op.		
							TOTAL		
							FINISH:		
							HEAT TR:		
							Drawing No.		
							No. 1 of 1		
							CLM01003		